

**'NEW Immunization Timetable 2012'**

**NEW VACCINATION INFO**

Ref IAPCOI July 2012: MODIFIED

Age and further schedule will change if any vaccine taken late, Most vaccines are preferably should be taken; Some vaccines need not give lifelong protection. Many people tend to avoid costly vaccines and multiple injections on a day, but that is not recommended. Rotavirus vaccine cannot be started after age 5 months. Two vaccines if not given on same day will have a gap of 1 month. Insist on weight height and milestones check at each vaccine related visit. **Plan B & C will be a compromised immunization.**

Age (completed weeks/months/years) Due Date and Company Names	Vaccines	Given date Batch/expiry	Wt/Ht/ milestone
<b>Birth</b>	<b>BCG, OPV 0</b> <b>Hep-B 1</b>		
<b>6 weeks</b> A=3 injections=prevenar, pentaxim, hep b, oral rotarix B=2 injections= easyfive, IPV or Pentaxim HepB C=1 injection= easyfive, oral polio	<b>DTaP 1, Hib 1,IPV 1+ OPV, Rotavirus 1</b> <b>PCV 1</b> <b>Hep-B 2</b>		
<b>10 weeks</b> A=2 injections=prevenar, pentaxim, oral rotarix B=1/2injection= easyfive/4, IPV or pentaxim C=1 injection= easyfive/easyfour, oral polio	<b>DTaP 2,Hib 2,IPV 2+ OPV, Rotavirus 2</b> <b>PCV 2</b> (hep B 2 if not given at birth Or plan B/C)		
<b>14 weeks</b> As above except Rota	<b>DTaP 3,Hib 3,IPV 3 + OPV</b> <b>PCV 3</b> (hep B3 if not given at birth Or plan B/C)		
<b>6 months</b> <b>This visit also important to check milestones</b>	<b>OPV 1, Hep-B 3</b> (no OPV with plan B C)		
<b>9 months completion</b> M vac	<b>OPV 2, Measles</b> (no OPV with plan B C)		
<b>12 months</b> Haverix junior	<b>Hep-A 1</b>		
<b>15/16/17 months</b> A= 3 injections= tresivac,varivax, prevenar B= 3 injections,these can be spaced with 1 month gap C=1 or 2 injections, these can be spaced with 1 month gap	<b>MMR 1</b> <b>Varicella 1</b> <b>PCV booster</b>		
<b>16/18 months</b> A=pentaxim,B,C=easyfour/five,oral polio	<b>Booster 1: DTWP/DTaP,IPV ,Hib</b>		
<b>18/24 months</b>	<b>Hep-A 2</b> (6-12 months after first dose)		
<b>2 years</b> typherix	<b>Typhoid 1</b>		
<b>4 ½ to 5 years</b>  Boostrix,tresivac,varivax,typherix, OPV	<b>Booster 2 DTaP ,OPV 3</b> <b>MMR 2</b> <b>Varicella 2</b> <b>Typhoid 2</b>		
<b>10 to 12 years</b>	<b>Tdap/Td</b> <b>HPV</b>		

Easyfive= DTWP /DTaP,Hep-B ,Hib, Pentaxim= DTWP /DTaP,IPV,Hib(painless),Prevenar=PCV13, Rotarix= Rotavirus1

IAP recommended **vaccines for High-risk\* children** (Vaccines under special circumstances):


1-Influenza Vaccine,2-Meningococcal Vaccine,3-Japanese Encephalitis Vaccine,4-Cholera Vaccine,5-Rabies Vaccine,6-Yellow Fever Vaccine,7-Pneumococcal Polysaccharide vaccine (PPSV 23)

\* **High-risk category of children:(including epidemics)**

- Congenital or acquired immunodeficiency (including HIV infection),
- Chronic cardiac, pulmonary (including asthma if treated with prolonged high-dose oral corticosteroids), hematologic, renal (including nephritic syndrome), liver disease and diabetes mellitus
- Children on long term steroids, salicylates, immunosuppressive or radiation therapy,
- Diabetes mellitus, Cerebrospinal fluid leak, Cochlear implant, Malignancies
- Children with functional/ anatomic asplenia/ hyposplenia

**By appointments only**

IAP's free reminder service



Immunize raani  
13-12-2012

send a sms to 566778

For more information and vaccination costs

Sms 9869405747 **Dr Santosh Kondekar MD DNB**

Free Online Pediatrician at [www.kondekar.com](http://www.kondekar.com)

Associate Professor Pediatrics TNMC Mumbai-8

**Dadar(W): 5 to 7pm at Dharap Clinic, BS Road**

**Dadar(W): 7 to 9 pm at Shushrusha Hospital, Ranade Rd**

**Worli: Ashoka Clinic, Gopal Nagar 9 PM**

**Lalbaug: Astha N Home, Sardar HotelLane,9.30 pm**

Appt MONDAY TO FRIDAY.. call for emergencies